

**Dow Corning Australia Pty Ltd  
Material Safety Data Sheet****DOW CORNING 200(R) FLUID, 100 CST.****STATEMENT OF HAZARDOUS NATURE:**

Not classified as hazardous according to criteria of Worksafe Australia.

**1. COMPANY DETAILS**

- 1.1 Company:** Dow Corning Australia Pty Ltd, ABN 36 008 444 166  
**1.2 Address:** Locked Bag 2095, North Ryde, NSW 1670, Australia  
**1.3 Telephone Number:** 1300-360-732  
**1.4 Emergency Telephone Number (within Australia):** 1300-360-732  
**(from outside Australia):** 61-1300-360-732

**2. Identification**

- 2.1 Product Name:** DOW CORNING 200(R) FLUID, 100 CST.  
**2.2 Other Name:** Silicone  
**2.3 Manufacturer's Product Code:** 01013190  
**2.4 Correct Shipping Name:** Not applicable.  
**2.5 UN No.:** Not applicable.  
**2.6 Dangerous Goods (Class and Subs Risk):** Not applicable.  
**2.7 IATA Dangerous Goods Class:** Not subject to IATA regulations.  
**2.8 IMDG Dangerous Goods Class:** Not subject to IMDG code.  
**2.9 Hazchem Code:** Not applicable.  
**2.10 Poisons Schedule Number:** Not applicable.  
**2.11 Use:** Intermediate for Dow Corning Internal Use.  
Electrical applications  
Diluent  
Intermediate for siloxane manufacture  
Processing aid  
General purpose
- 2.12 Physical Description/Properties**  
Physical Form: Liquid  
Colour: Colorless  
Odour: Characteristic odor  
Boiling Point: > 65 °C  
Melting Point: Not determined.  
Vapour Pressure: Not determined.  
Specific Gravity @ 25°C: 0.965  
Flash Point: > 101.1 °C (Closed Cup)  
Lower Flammability Limit: Not determined.  
Upper Flammability Limit: Not determined.  
Solubility in Water: Not determined.

**Dow Corning Australia Pty Ltd  
Material Safety Data Sheet****DOW CORNING 200(R) FLUID, 100 CST.**

Volatile Content: Not determined.

**2.13 Other Properties**Viscosity: 100 cSt  
Vapour Density: Not determined.  
pH: Not determined.  
Autoignition temperature: Not determined.

The above information is not intended for use in preparing product specifications. Contact Dow Corning before writing specifications.

**2.14 Ingredients:**

Chemical Name	CAS Number	Proportion %
Polydimethylsiloxane	63148-62-9	>60

Ingredients determined not to be hazardous to 100%

**3. Health Hazard Information****3.1 Health Effects***Acute*Ingestion: Low ingestion hazard in normal use.  
Eye: Direct contact may cause temporary redness and discomfort.  
Skin: No significant irritation expected from a single short-term exposure.  
Inhalation: No significant effects expected from a single short-term exposure.*Chronic*Ingestion: Repeated ingestion or swallowing large amounts may injure internally.  
Skin: No known applicable information.  
Inhalation: No known applicable information.**3.2 Mutagenic Effects:** None known.  
**3.3 Reproductive Effects:** None known.  
**3.4 Carcinogenic Effects:** None known.  
**3.5 Other Health Hazard Information:** No known applicable information.

The above listed potential effects of overexposure are based on actual data, the results of studies performed upon similar compositions, component data, and/or expert review of the products.

**3.6 First Aid**Ingestion: Get medical attention.  
Eye: Immediately flush with water.  
Skin: No first aid should be needed.  
Inhalation: No first aid should be needed.

**Dow Corning Australia Pty Ltd  
Material Safety Data Sheet****DOW CORNING 200(R) FLUID, 100 CST.**

First Aid Facilities:	None should be required.
Comments:	Treat symptomatically.
Advice to Doctor:	Treat Symptomatically. For further information, the Medical Practitioner should contact Dow Corning Australia Pty Ltd.

**4. Precautions for Use****4.1 Exposure Standards:****Ingredients****Exposure Limits**

None known.

**4.2 Engineering Controls**

Local Exhaust:	None should be needed.
General Ventilation:	Recommended.

**4.3 Personal Protection**

Respiratory:	No respiratory protection should be needed.
Suitable Respirator:	None should be needed.
Hand:	No special protection needed.
Eye:	Use proper protection - safety glasses as a minimum.
Skin:	Washing at mealtime and end of shift is adequate.
Personal Hygiene:	Exercise good industrial hygiene practice. Wash after handling, especially before eating, drinking or smoking.

Note: These precautions are for room temperature handling. Use at elevated temperature or aerosol/spray applications may require added precautions.

**4.4 Flammability**

Fire Hazards (precautions to be taken in handling and storage):	Use reasonable care and store away from oxidizing materials.
Unusual Fire Hazards:	None.

**5. Safe Handling Information****5.1 Advice on Safe Handling**

Local Exhaust:	None should be needed.
General Ventilation:	Recommended.
Dangerous Goods Class:	Not applicable.
Handling Precautions:	Use with adequate ventilation. Avoid eye contact. Do not take

**Dow Corning Australia Pty Ltd  
Material Safety Data Sheet****DOW CORNING 200(R) FLUID, 100 CST.**

Storage Conditions: internally. Exercise good industrial hygiene practice. Wash after handling, especially before eating, drinking or smoking. If this product is heated to > 150 degrees C, trace quantities of formaldehyde may be released, and adequate ventilation is required  
Unsuitable Packaging Materials: Use reasonable care and store away from oxidizing materials.  
None established.

**5.2 Spills**

Personal Precautions: Avoid eye contact. Do not take internally.  
Environmental Precautions: Prevent from spreading or entering into drains, ditches or rivers by using sand, earth or other appropriate barriers.  
Methods for Cleaning up: Determine whether to evacuate or isolate the area according to your local emergency plan. Observe all personal protective equipment recommendations described in this MSDS. If diked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbant. Clean area as appropriate since some silicone materials, even in small quantities, may present a slip hazard. Final cleaning may require use of steam, solvents or detergents. Dispose of saturated absorbant or cleaning materials appropriately, since spontaneous heating may occur. Laws and regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which laws and regulations are applicable.

**5.3 Waste Disposal**

Product Disposal: Dispose of in accordance with local regulations.  
Packaging Disposal: Packaging should be disposed of in accordance with regional and/or national regulations.

**5.4 Stability and Reactivity**

Stability: Stable.  
Conditions to Avoid: None.  
Materials to Avoid: Oxidizing material can cause a reaction.  
Hazardous Decomposition Products: Silicon dioxide. Carbon oxides and traces of incompletely burned carbon compounds. Formaldehyde.  
Hazardous Polymerisation: Hazardous polymerization will not occur.

**5.5 Fire/Explosion Hazard**

Extinguishing Media: On large fires use dry chemical, foam or water spray. On small fires use carbon dioxide (CO<sub>2</sub>), dry chemical or water spray. Water can be used to cool fire exposed containers.  
Unsuitable Extinguishing Media: None established.  
Unusual Firefighting Hazards: None.

**Dow Corning Australia Pty Ltd  
Material Safety Data Sheet****DOW CORNING 200(R) FLUID, 100 CST.**

Special Firefighting Procedures:	Self-contained breathing apparatus and protective clothing should be worn in fighting large fires involving chemicals. Determine the need to evacuate or isolate the area according to your local emergency plan. Use water spray to keep fire exposed containers cool.
Hazardous Decomposition Products:	Silicon dioxide. Carbon oxides and traces of incompletely burned carbon compounds. Formaldehyde.
Hazchem Code:	Not applicable.

**6. Regulatory Information****6.1 Classification and Labelling****Classification:**

Not hazardous.

**R-phrases:**

Not hazardous.

**S-phrases:**

S25 Avoid contact with eyes.

**6.2 Chemical Inventories****MITI:**

All components are listed on ENCS or its exempt rule.

**EINECS:**

All ingredients listed or exempt.

**IECSC:**

All ingredients listed or exempt.

**DSL:**

All chemical substances in this material are included on or exempted from the DSL.

**AICS:**

All ingredients listed or exempt.

**PICCS:**

All ingredients listed or exempt.

**KECL:**

All ingredients listed, exempt or notified.

**TSCA:**

All chemical substances in this material are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

**7. Other Information**Contact Point:  
Prepared by:Technical Services Engineer 1300-360-732  
Dow Corning Australia Pty Ltd

This MSDS summarises our best knowledge of the health and safety hazard information of the product and how to safely handle and use the product in the workplace. Each user should read this MSDS and consider the information in the context of how the product will be handled and used in the workplace including in conjunction with other products. If clarification or further information is needed to ensure that an appropriate risk assessment can be made,

**Dow Corning Australia Pty Ltd  
Material Safety Data Sheet****DOW CORNING 200(R) FLUID, 100 CST.**

the user should contact this Company. Our responsibility for products sold is subject to our standard terms and conditions, a copy of which is sent to our customers and is also available on request.

**(R) indicates Registered Trademark**

**\*\*\*\*\* This is the last page. \*\*\*\*\***